

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicants:	Michela Bettati, et. al.		
Serial No.:	10/566,486	Case: T1630P	Art Unit: 1625
Filed:	January 30, 2006		
U.S. Patent:	7,452,899	Granted: November 18, 2008	Examiner: Rahmani, Niloofar
For:	GAMMA-SECRETASE INHIBITORS		

Commissioner for Patents  
Alexandria, VA 22313

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323**

Sir:

There is a clerical error in this patent which occurred through the fault of the applicant. Pursuant to 37 C.F.R. § 1.323, applicants respectfully request that the PTO issue a certificate of correction for this patent.

At column 5, line 18, "thiathiazolyl" should read "thiazolyl".

The error was inadvertent. Correction of the error would not involve new matter.

Attached hereto are two copies of substitute form PTO-1050, with at least one copy suitable for printing. The form is being submitted to correct the aforementioned error in the patent.

Issuance of the certificate of correct is respectfully requested. Please send the certificate to the undersigned at:

MERCK  
P.O. Box 2000  
Rahway, NJ 07065

The fee of \$100 due for this request for certificate of correction, under 37 C.F.R.  
§ 1.20(a), should be charged to Deposit Account No. 13-2755.

Respectfully submitted,

By           /Raynard Yuro, Reg. # 45570/            
Raynard Yuro  
Reg. No.: 45,570  
(732) 594-0182

Date: June 2, 2010

UNITED STATES PATENT AND TRADEMARK OFFICE

**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,452,899  
APPLICATION NO. : 10/566,486  
DATED : November 18, 2008  
INVENTOR(S) : Michela Bettati, Amanda Louise Boase, Ian Churcher, Tamara Ladduwahetty, Kevin John Merchant, Abdul Quddus

Page 1 of 1

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 5, line 18, "thiathiazolyl" should read "thiazolyl".

MAILING ADDRESS OF SENDER:

Raynard Yuro  
Merck  
P.O. Box 2000, RY60-30  
Rahway, New Jersey 07065-0907

PATENT NO. 7,452,899  
Case Docket T1630P